

Green**Weight 34 kg****Green****HR 60 to 100****SBP 110 to 119****Resp 16 to 22****ET tube 6.5 mm cuffed**

Medication	Dose per kg	Dose	Supplied as	ml to give
Adenosine (IV, avoid IO)	0.1 mg/kg	3.4 mg	3 mg/ml	1.1 ml Rapid
	Repeat 0.2 mg/kg	6.8 mg		2.3 ml Rapid
Albuterol (Nebulized)	N/A	2.5-5 mg	2.5 mg in 3 ml (0.083%) Premixed ampule	1-2 premixed ampules
Amiodarone IV/IO	5 mg/kg	170 mg	50 mg/ml	3.4 ml
	Repeat up to 15 mg/kg	Up to 510 mg		Up to 10.2 ml
Atropine IV/IO	0.02 mg/kg Repeat once	0.5 mg (max)	0.1 mg/ml	5 ml (max)
Bicarb 8.4% IV/IO	1 mEq/kg	34 mEq	1 mEq/ml Give slowly	34 ml
Calcium Cl 10% IV/IO	20 mg/kg	680 mg	100 mg/ml	6.8 ml Slowly
Charcoal, Activated PO (No sorbitol)	1 g/kg	34 g	25 g/120 ml	170 ml
D50W IV/IO	1 g/kg 2 ml/kg	68 ml	D50W	68 ml
Diazepam IV/IO	0.2 mg/kg	5 mg (max)	5 mg/ml	1 ml (max)
Diazepam PR	0.5 mg/kg	10 mg (max)	5 mg/ml	2 ml (max)
Diphenhydramine PO	1 mg/kg	34 mg	12.5 mg/5 ml po	13.6 ml
Diphenhydramine IV/IO/IM	1 mg/kg	34 mg	50 mg/ml	0.7 ml
Epinephrine 1:10,000 IV/IO	0.01 mg/kg	0.34 mg	0.1 mg/ml (1:10,000)	3.4 ml
Epinephrine 1:1000 (IM/SC)	0.01 mg/kg	0.34 mg	1 mg/ml (1:1000)	0.3 ml (max)

Green**Weight 34 kg****Green****HR 60 to 100****SBP 110 to 119****Resp 16 to 22****ET tube 6.5 mm cuffed**

Medication	Dose per kg	Dose	Supplied as	ml to give
Epinephrine (Racemic 2.25%) Nebulized	N/A	0.5 ml	0.5 ml Dilute in 3-5 ml NS and nebulize	0.5 ml
Flumazenil IV/IO	0.01 mg/kg	0.34 mg	0.1 mg/ml	3.4 ml
Fosphenytoin IV/IO/IM	20 mg PE/kg (PE= Phenytoin Equivalents)	680 mg	50 mg PE/ml Dilute with NS and give IV over 7 min Do NOT dilute for IM	13.6 ml (predilutional)
Furosemide IV/IO/IM	1 mg/kg	34 mg	10 mg/ml	3.4 ml
Lidocaine 2% IV/IO	1 mg/kg	34 mg	20 mg/ml	1.7 ml
Lorazepam IV/IO/IM	0.1 mg/kg	2 mg (max)	2 mg/ml	1 ml (max)
Magnesium Sulfate IV/IO	25-50 mg/kg	850 mg – 1.7 g	500 mg/ml	1.7-3.4 ml Slowly
Mannitol 20% IV/IO	1 g/kg	34 gm	20 g/100 ml	170 ml
Midazolam IV/IO/IM	0.1 mg/kg	2 mg (max)	1 mg/ml	2 ml (max)
Naloxone IV/IO/IM/IN/ET	0.1 mg/kg	2 mg (max)	1 mg/ml	2 ml (max)
Phenobarbital IV/IO/IM	20 mg/kg	680 mg	130 mg/ml Dilute with NS Give over 20 min	5.2 ml
Phenytoin IV/IO	20 mg/kg	680 mg	50 mg/ml Dilute with NS Give over 20 min	13.6 ml (predilutional)
Procainamide IV/IO	15 mg/kg	500 mg (max)	100 mg/ml	5 ml (max)

Green**Weight 34 kg****Green**

HR 60 to 100

SBP 110 to 119

Resp 16 to 22

ET tube 6.5 mm cuffed

Medications for Rapid Sequence Intubation

Medication	Dose per kg	Dose	Supplied as	ml to give
INDUCTION AGENTS				
Etomidate	0.3 mg/kg	10.2 mg	2 mg/ml	5.1 ml
PARALYZING AGENTS				
Rocuronium	0.6 mg/kg	20.4 mg	10 mg/ml	2 ml
Succinylcholine	1 mg/kg	34 mg	20 mg/ml	1.7 ml
Vecuronium	0.1-0.2 mg/kg	3.4-6.8 mg	1 mg/ml 10mg/vial mixed with 10mL NS	3.4-6.8 ml

Fluid administration

Fluid bolus **680 ml** (20 ml/kg)
Blood **340 ml** (10 ml/kg)

Maintenance IV fluid
IV rate = 74 ml/hr

Electrical countershock**Defibrillation**

68 joules (2 j/kg)
Then 136 joules (4 j/kg)

Synchronized

17 joules (0.5 j/kg)
Then 34 joules (1 j/kg)