## Croup

Dexamethasone 0.3-

0.6mg/kg (max

10mg) PO or IM

Home treatment

(next slide)

\* As arrange transfer to ED, give dexamethasone & racemic epinephrine if able

Home

no

Obs 2 hours,

score still 3-7?

To

ED\*

yes


## **Classic Viral Croup**

- Peak age 6mo-3yo
- Fall Early Winter
- Parainfluenza virus and other viruses
  - Consider Covid testing
- Fever, cold sx -> <u>barking cough</u>, worse at night, +/- <u>stridor</u>
- Older kids: hoarse voice, sore throat

## Spasmodic Croup

- Also 6mo-3yo but also older children
- Sudden onset at night of stridor
- No fever
- +/- cold symptoms
- May be atopic, often recurrent

Rarely require racemic epinephrine



score < 2

2.25%

Dexamethasone as for

0.5mL of nebulized

racemic epinephrine

## Croup Home Instructions

- Symptoms always worse at night, typically for two nights, then viral croup becomes more of a regular cold
  - Humidifier in bedroom
  - Turn on hot water in shower to steam up bathroom
  - Take child out into cold night air
- Antipyretics / oral analgesics, encourage fluids
- Return if stridor at rest or respiratory distress / increased work of breathing (demonstrate for parent)
- Spasmodic croup typically resolves quickly
  - If recurs in future, trial of comforting and humidified air may resolve before needing to come in to be seen